



2026

SPARE PARTS CATALOGUE

PREVIEW

*Campagnolo*

## GUARNITURA • CRANKSET

Super Record™ ULTRA-TORQUE™ Carbon 13s (2x13) .....	2
Super Record™ ULTRA-TORQUE™ Carbon 13s (1x13 - road) .....	4
Super Record™ X ULTRA-TORQUE™ Carbon 13s .....	6

## CAMBIO • REAR DERAILLEUR

Super Record™ 13s (2x13 - road) .....	8
Super Record™ 13s (Nano Clutch) .....	9
Super Record™ X .....	10

## DERAGLIATORE • FRONT DERAILLEUR

Super Record™ 13s .....	11
-------------------------	----

## BATTERIES

Super Record™ 12s / 13s .....	12
-------------------------------	----

## DISC BRAKE ERGOPOWER™ CONTROL LEVERS AND CALIPERS

Super Record™ 13s (2x13) .....	14
Super Record™ 13s (2x13 satellite buttons) .....	16
Super Record™ 13s (1x13 - left) .....	18
Super Record™ 13s (2 x 13 - 1x13 (Road) - Super Record X) .....	19

## PIGNONI • SPROCKETS

Super Record™ 13s .....	20
Super Record™ X .....	24


## RUOTE DISC BRAKE • DISC BRAKE WHEELS

Shamal Dual Profile DB 2-Way fit™ .....	26
Pista O.L.D. 65 .....	28
Pista .....	29
Bora™ Ultra WTO 60 Team DB 2-Way fit™ .....	30
Bora™ Ultra WTO 45 Team DB 2-Way fit™ .....	32
Bora™ Ultra WTO 60 Chrome DB 2-Way fit™ .....	34
Bora™ Ultra WTO 45 Chrome DB 2-Way fit™ .....	36
Bora™ X DB 2-Way fit™ .....	38


FC-PO100  
Kit viti  
Screws&Nuts

B  
165 mm  
170 mm  
172,5 mm  
175 mm  
FC-SRWRL13165  
FC-SRWRL13170  
FC-SRWRL13172  
FC-SRWRL13175

C  
Z29 for 45  
Z32 for 48  
Z34 for 50  
Z36 for 52  
Z39 for 53/54/55  
FC-SRWRL1329  
FC-SRWRL1332  
FC-SRWRL1334  
FC-SRWRL1336  
FC-SRWRL1339




<p>FC-PO100 Kit viti Screws&amp;Nuts</p>	<p>B</p>	<p>165 mm 170 mm 172,5 mm 175 mm</p>	<p>FC-SRWRL13165 FC-SRWRL13170 FC-SRWRL13172 FC-SRWRL13175</p>	<p>C</p>	<p>Z29 for 45 Z32 for 48 Z34 for 50 Z36 for 52 Z39 for 53/54/55</p>	<p>FC-SRWRL1329 FC-SRWRL1332 FC-SRWRL1334 FC-SRWRL1336 FC-SRWRL1339</p>	<p>E</p>	<p>165 mm 170 mm 172,5 mm 175 mm</p>	<p>FC-SRPWRL13165RH FC-SRPWRL13170RH FC-SRPWRL13172RH FC-SRPWRL13175RH</p>
--	----------	--	--	----------	---	---	----------	--	--



**FC-SR1X13100**  
Kit viti  
Screws&Nuts

B	165 mm	<b>FC-SRWRL13165</b>
	170 mm	<b>FC-SRWRL13170</b>
	172,5 mm	<b>FC-SRWRL13172</b>
	175 mm	<b>FC-SRWRL13175</b>


C	165 mm	<b>FC-SRPWRL13165RH</b>
	170 mm	<b>FC-SRPWRL13170RH</b>
	172,5 mm	<b>FC-SRPWRL13172RH</b>
	175 mm	<b>FC-SRPWRL13175RH</b>



<p><b>FC-SR1X13100</b> Kit viti Screws&amp;Nuts</p>
---

<p><b>B</b></p>	<p>165 mm</p>	<p><b>FC-SRWRL13165</b> <b>FC-SRWRL13170</b> <b>FC-SRWRL13172</b> <b>FC-SRWRL13175</b></p>
	<p>170 mm</p>	
	<p>172,5 mm</p>	
	<p>175 mm</p>	

<p><b>C</b></p>	<p>165 mm</p>	<p><b>FC-SRPWRL13165RH</b> <b>FC-SRPWRL13170RH</b> <b>FC-SRPWRL13172RH</b> <b>FC-SRPWRL13175RH</b></p>
	<p>170 mm</p>	
	<p>172,5 mm</p>	
	<p>175 mm</p>	



FC-SR1X13100

Kit viti  
Screws&Nuts

B

165 mm  
170 mm  
172,5 mm  
175 mm

FC-SRX13165  
FC-SRX13170  
FC-SRX13172  
FC-SRX13175


C

165 mm  
170 mm  
172,5 mm  
175 mm

FC-SRX13165RH  
FC-SRX13170RH  
FC-SRX13172RH  
FC-SRX13175RH




FC-CA01  
(R + L)





<p><b>FC-SR1X13100</b> Kit viti Screws&amp;Nuts</p>
---


B	165 mm	<p><b>FC-SRX13165</b> <b>FC-SRX13170</b> <b>FC-SRX13172</b> <b>FC-SRX13175</b></p>
	170 mm	
	172,5 mm	
	175 mm	

C	165 mm	<p><b>FC-SRX13165RH</b> <b>FC-SRX13170RH</b> <b>FC-SRX13172RH</b> <b>FC-SRX13175RH</b></p>
	170 mm	
	172,5 mm	
	175 mm	













# SUPER RECORD 13





FRONT AND REAR DERAILLEUR BATTERY: see components price list  
BATTERIE DEL CAMBIO E DERAGLIATORE: vedi listino prezzi componenti








# NOTES
















A	CS-700	
F	5-CS-812 (5 pcs)	2,0 mm
B	CS-9135 (1 pcs)	5,05 mm



10-29	10-11-12	13	F	14	F	15	F	16A	F	17	F	18A	B	20-23-26-29*
	13SWRL-1012	13SWRL-13		13SWRL-14		13SWRL-015		13SWRL-16A		13SWRL-017		13SWRL-18A		13SWRL-2029
10-33	10-11-12	13	F	14	F	15	F	16A	F	18B	F	20B	B	23-26-29-33*
	13SWRL-1012	13SWRL-13		13SWRL-14		13SWRL-015		13SWRL-16A		13SWRL-18B		13SWRL-20B		13SWRL-2333

\* monoblock piece


A	CS-700	
F	5-CS-812 (5 pcs)	2,0 mm
B	CS-9135 (1 pcs)	5,05 mm



11-32	11-12	13	F	14	F	15	F	16A	F	17	F	18A	B	20-23-26-29-32*
	13SWRL-112	13SWRL-13		13SWRL-14		13SWRL-015		13SWRL-16A		13SWRL-017		13SWRL-18A		13SWRL-2032
11-36	11-12	13	F	14	F	15	F	16A	F	18B	F	20B	B	20-23-26-29-32-36*
	13SWRL-112	13SWRL-13		13SWRL-14		13SWRL-015		13SWRL-16A		13SWRL-18B		13SWRL-20B		13SWRL-2336

\* monoblock piece


A	CS-700
F	5-CS-812 (5 pcs)
	2,0 mm



10-33	10-11-12	13	F	14	F	15	F	16A	F	18B	F	20B	B	23-26-29-33*
	13SWRL-1012	13SWRL-13		13SWRL-14		13SWRL-015		13SWRL-16A		13SWRL-18B		13SWRL-20B		non disponibile / not available

\* monoblock piece


A	CS-700	
F	5-CS-812 (5 pcs)	2,0 mm



11-36	11-12	13	F	14	F	15	F	16A	F	18B	F	20B	F	F	23-26-29-32-36*
	13SWRL-1112	13SWRL-13		13SWRL-14		13SWRL-015		13SWRL-16A		13SWRL-18B		13SWRL-20B			non disponibile / not available

\* monoblock piece


G	5-CS-913 (5 pcs)	1,98 mm
B	CS-9133 (2 pcs)	3,5 mm



9-42	9-10-11-12	13	G	14	G	16	G	18	G	21	B	25-30-36-42*
	13SRX-912	13SWRL-13		13SWRL-14		13SRX-16		13SRX-18		13SRX-21		non disponibile / not available

\* monoblock piece

A	CS-700	
F	5-CS-913 (5 pcs)	1,8 mm
B	CS-9136 (2 pcs)	6,8 mm



10-48	10-11-12	13	F	14	F	16	F	18	F	21	B	25-30-36-42-48*
	13SWRL-1012	13SWRL-13		13SWRL-14		13SRX-16		13SRX-18		13SRX-21		non disponibile / not available


\* monoblock piece

RIM		
	FRONT / REAR RIM	WH-SHDBC23
	VALVE HOLE	6,5 mm
	2-WAY FIT™ VALVE	VA-2WF50
	VALVE HOLE BUSHING	WH-BUU002 (5 pcs.)
	DIAMETER	622 x 23TC (ISO 5775-2)


SPOKES		
FRONT LH / REAR RH L. 286,5	WH-03SHDBC23	4 spokes + 4 nipples
FRONT RIGHT L. 264,5	WH-02SHDBC23	4 spokes + 4 nipples
REAR LEFT L. 260,5	WH-04SHDBC23	4 spokes + 4 nipples + 4 washers
NIPPLES	WH-04LV	10 pieces
NIPPLE INSERT	UT-WH160	magnet-attractor for nipple
NIPPLE MAGNET	UT-WH050	nipple-guide
SPOKE SPANNER	UT-WH090	spoke wrenches

ACCESSORIES		
Spacer for HG FW body	FH-BUU001	5 pcs - to be used only with 9/10s sprockets
AFS™ lockring	4-M1-101B	to fix the rotor

## HUBS



**HB-RE200**  
 2 x A  
 2 x B  
 2 x C  
 2 x D



**HB-RE100 HUB KIT**  
 2 x E, 2 x F,  
 2 x G, 2 x H


Complete FW body Ø33 mm/ Corpetti RL completi Ø33 mm

FH-HGA33 (HG 9/12) - FH-N3WA33 (Campagnolo N3W) - FH-XDRA33 (XDR) - FH-MICROSRE (Micro Spline)

RIM	
VALVE HOLE STICKERS	VA-2WF44 (44 mm, 2 pcs)
VALVE HOLE BUSHINGS	WH-BUU002 (5 pcs.) 
VALVE EXTENSION	UT-WH140M (male extension)

<b>HB-B0100 CULT™ KIT</b>
<b>front</b>
2 x HB-B0023
2 x HB-B0024
2 x HB-B0022
2 x HB-B0021

SPOKES		
FRONT L = 248	<a href="#">WH-01PIS65</a>	4 spokes + 4 nipples
NIPPLES	WH-05BWU45	10 pieces




RIM	
VALVE HOLE STICKERS	VA-2WF44 (44 mm, 2 pcs)
VALVE HOLE BUSHINGS	WH-BUU002 (5 pcs.) 
VALVE EXTENSION	UT-WH140M (male extension)

SPOKES		
FRONT L = 248	<a href="#">WH-01PIS65</a>	4 spokes + 4 nipples
REAR L = 257	<a href="#">WH-02PIS65</a>	4 spokes + 4 nipples
NIPPLES	WH-05BWU45	10 pieces


**HB-B0100 CULT™ KIT**  
**front & rear**  
 2 x HB-B0023  
 2 x HB-B0024  
 2 x HB-B0022  
 2 x HB-B0021


## HUBS

### FRONT TRACK



### REAR TRACK




RIM		
	FRONT / REAR RIM	WH-01BWU60TE (with stickers and nipples)
	VALVE HOLE	6,5 mm
	2-WAY FIT™ VALVE	VA-2WF70
	VALVE HOLE BUSHING	WH-BUU002 (5 pcs.) 
	DIAMETER	622 x 23TC (ISO 5775-2)

SPOKES		
FRONT LH/REAR RH L. 273,5	WH-03BWU60C23	4 spokes + 4 nipples
FRONT RIGHT L. 254	WH-02BWU60C23	4 spokes + 4 nipples
REAR LEFT L. 249	WH-04BWU60C23	4 spokes + 4 nipples + 4 washers
NIPPLES	WH-05BWU4523	10 pieces
NIPPLE INSERT + SPANNER	UT-WH290	magnet-attractor for nipple + wrench
NIPPLE MAGNET	UT-WH050	nipple-guide


ACCESSORIES		
Spacer for HG FW body	FH-BUU001	5 pcs - to be used only with 9/10s sprockets
AFS™ lockring	4-M1-101B	to fix the rotor

## HUBS



Complete FW body Ø33 mm/ Corpetti RL completi Ø33 mm


FH-HGA33USB (HG 9/12) - FH-N3WA33USB (Campagnolo N3W) - FH-XDRA33USB (XDR)

RIM		
	FRONT / REAR RIM	WH-01BWU45TE (with stickers and nipples)
	VALVE HOLE	6,5 mm
	2-WAY FIT™ VALVE	VA-2WF55
	VALVE HOLE BUSHING	WH-BUU002 (5 pcs.) 
	DIAMETER	622 x 23TC (ISO 5775-2)

SPOKES		
FRONT LH/REAR RH L. 289	WH-03BWU45C23	4 spokes + 4 nipples
FRONT RIGHT L. 268,5	WH-02BWU45C23	4 spokes + 4 nipples
REAR LEFT L. 264	WH-04BWU45C23	4 spokes + 4 nipples + 4 washers
NIPPLES	WH-05BWU4523	10 pieces
NIPPLE INSERT + SPANNER	UT-WH290	magnet-attractor for nipple + wrench
NIPPLE MAGNET	UT-WH050	nipple-guide


ACCESSORIES		
Spacer for HG FW body	FH-BUU001	5 pcs - to be used only with 9/10s sprockets
AFS™ lockring	4-M1-101B	to fix the rotor

## HUBS



Complete FW body Ø33 mm/ Corpetti RL completi Ø33 mm



FH-HGA33USB (HG 9/12) - FH-N3WA33USB (Campagnolo N3W) - FH-XDRA33USB (XDR)

RIM		
	FRONT / REAR RIM	WH-01BWU60CR (with stickers and nipples)
	VALVE HOLE	6,5 mm
	2-WAY FIT™ VALVE	VA-2WF70
	VALVE HOLE BUSHING	WH-BUU002 (5 pcs.) 
	DIAMETER	622 x 23TC (ISO 5775-2)

SPOKES		
FRONT LH/REAR RH L. 273,5	WH-03BWU60C23	4 spokes + 4 nipples
FRONT RIGHT L. 254	WH-02BWU60C23	4 spokes + 4 nipples
REAR LEFT L. 249	WH-04BWU60C23	4 spokes + 4 nipples + 4 washers
NIPPLES	WH-05BWU4523	10 pieces
NIPPLE INSERT + SPANNER	UT-WH290	magnet-attractor for nipple + wrench
NIPPLE MAGNET	UT-WH050	nipple-guide


ACCESSORIES		
Spacer for HG FW body	FH-BUU001	5 pcs - to be used only with 9/10s sprockets
AFS™ lockring	4-M1-101B	to fix the rotor

## HUBS



Complete FW body Ø33 mm/ Corpetti RL completi Ø33 mm



FH-HGA33USB (HG 9/12) - FH-N3WA33USB (Campagnolo N3W) - FH-XDRA33USB (XDR)

RIM		
	FRONT / REAR RIM	WH-01BWU45CR (with stickers and nipples)
	VALVE HOLE	6,5 mm
	2-WAY FIT™ VALVE	VA-2WF55
	VALVE HOLE BUSHING	WH-BUU002 (5 pcs.) 
	DIAMETER	622 x 23TC (ISO 5775-2)

SPOKES		
FRONT LH/REAR RH L. 289	WH-03BWU45C23	4 spokes + 4 nipples
FRONT RIGHT L. 268,5	WH-02BWU45C23	4 spokes + 4 nipples
REAR LEFT L. 264	WH-04BWU45C23	4 spokes + 4 nipples + 4 washers
NIPPLES	WH-05BWU4523	10 pieces
NIPPLE INSERT + SPANNER	UT-WH290	magnet-attractor for nipple + wrench
NIPPLE MAGNET	UT-WH050	nipple-guide


ACCESSORIES		
Spacer for HG FW body	FH-BUU001	5 pcs - to be used only with 9/10s sprockets
AFS™ lockring	4-M1-101B	to fix the rotor

## HUBS



Complete FW body Ø33 mm / Corpetti RL completi Ø33 mm


FH-HGA33USB (HG 9/12) - FH-N3WA33USB (Campagnolo N3W) - FH-XDRA33USB (XDR)

RIM		
	FRONT / REAR RIM	WH-01BX50
	VALVE HOLE	6,5 mm
	2-WAY FIT™ VALVE	VA26-2WF60
	VALVE HOLE BUSHING	WH-BUU002 (5 pcs.) 
	DIAMETER	622 x 27TC (ISO 5775-2)


SPOKES		
FRONT LH / REAR RH L. 289	WH-03BX50C27	4 spokes + 4 nipples
FRONT RIGHT L. 279	WH-02BX50C27	4 spokes + 4 nipples
REAR LEFT L. 274	WH-04BX50C27	4 spokes + 4 nipples + 4 washers
NIPPLES	WH-04LV	10 pieces
NIPPLE INSERT	UT-WH160	magnet-attractor for nipple
NIPPLE MAGNET	UT-WH050	nipple-guide
SPOKE SPANNER	UT-WH090	spoke wrenches

ACCESSORIES		
Spacer for HG FW body	FH-BUU001	5 pcs - to be used only with 9/10s sprockets
AFS™ lockring	4-M1-101B	to fix the rotor

HUBS



**HB-SH200  
USB™ KIT**  
2 x A, 2 x B,  
2 x C, 2 x D



**HB-SH100  
USB™ KIT**  
2 x E, 2 x F,  
2 x G, 2 x H

Complete FW body Ø33 mm/  
Corpetti RL completi Ø33 mm

FH-HGARE33 (HG 9/12) - FH-N3WARE33 (Campagnolo N3W) - FH-XDRARE33 (XDR) - FH-MICROSRE (Micro Spline)

